

GOVERNMENT OF THE REPUBLIC OF ARMENIA

DECISION

No 1106-N of 20 July 2006

**ON APPROVING THE TRAFFIC RULES FOR TRANSPORT VEHICLES
USED FOR TRANSPORTING HEAVY LOADS, OR THOSE EXCEEDING
THE DIMENSIONS ESTABLISHED BY ROAD TRAFFIC RULES,
OR OPERATED WITHIN AN ARTICULATED VEHICLE
WITH TWO OR MORE TRAILERS, AND THE PROCEDURE FOR ISSUING
A SPECIAL PERMIT TO TRANSPORT VEHICLES
TRANSPORTING INDIVISIBLE LOADS**

(title amended by No 702-N of 14 June 2007, edited by No 739-N of 23 June 2017)

Guided by point "k" of Article 9 of the Law of the Republic of Armenia "On ensuring road traffic safety" and pursuant to the requirement of part 6.2 of Article 10 of the Law of the Republic of Armenia "On motor roads", the Government of the Republic of Armenia **hereby decides:**

(preamble edited by No 739-N of 23 June 2017)

1. To approve:
 - (a) the traffic rules for transport vehicles used for transporting heavy loads, or those exceeding the dimensions established by road traffic rules, or operated within an articulated vehicle with two or more trailers, and the procedure for issuing a special permit to transport vehicles transporting indivisible loads, pursuant to Annex No 1;

- (b) the standards on heavy transport vehicles or transport vehicles with large dimensions, pursuant to Annex No 2.

(point 1 amended by No 702-N of 14 June 2007, edited by No 739-N of 23 June 2017)

2. This Decision shall enter into force on the tenth day following its official promulgation.

**Prime Minister
of the Republic of Armenia**

A. Margaryan

7 August 2006

Yerevan

Annex N 1
to Decision No 1106-N
of the Government
of the Republic of Armenia
of 20 July 2006

**TRAFFIC RULES FOR TRANSPORT VEHICLES USED FOR TRANSPORTING HEAVY
LOADS, OR THOSE EXCEEDING THE DIMENSIONS ESTABLISHED BY ROAD
TRAFFIC RULES, OR OPERATED WITHIN AN ARTICULATED VEHICLE WITH TWO
OR MORE TRAILERS, AND THE PROCEDURE FOR ISSUING A SPECIAL PERMIT
TO TRANSPORT VEHICLES TRANSPORTING INDIVISIBLE LOADS
(HEREINAFTER REFERRED TO AS "THE RULES")**

(title amended by No 702-N of 14 June 2007, edited by No 739-N of 23 June 2017)

I. GENERAL PROVISIONS

1. These Rules shall regulate the requirements for traffic of transport vehicles used for transporting heavy loads, or those exceeding the dimensions established by road traffic rules, or operated within an articulated vehicle with two or more trailers, and the relations pertaining to the issuing of a special permit to transport vehicles transporting indivisible loads (hereinafter referred to as "transportation of heavy, indivisible loads and/or loads with large dimensions").
2. The following concepts shall be used in these Rules:
 - (1) **heavy transport vehicle** — a transport vehicle, the total mass of which (with load or without load) or the load of any one of the axles (driving axles) exceeds any one of the standards referred to in point 1 of Annex No 2 to Decision No 1106-N of the Government of the Republic of Armenia of 20 July 2006;

- (2) **interstate transportation** — transportation between states, performed with or without transit through the territories of other states;
- (3) **intermarz transportation** — transportation between marzes of the Republic of Armenia, performed with or without transit through the administrative territories of other marzes;
- (4) **intramarz transportation** — transportation, the route of which is located in the territory of the administrative territories of a particular marz of the Republic of Armenia;
- (5) **freight transporter** — a legal person registered or individual entrepreneur or natural person record-registered in the Republic of Armenia or other state transporting heavy loads and/or loads with large dimensions on the state motor roads of common use of the Republic of Armenia;
- (6) **organisation (body) giving consent to transportation** — legal or natural persons deemed owners of a route and artificial structures or communication pathways (bridges, overpasses, motor roads, railway level crossings, subway lines, underground and overground pipelines and cables, aerial lines for communication and electricity supply, etc.) for transportation of heavy loads and/or loads with large dimensions, the Road Police of the Police of the Republic of Armenia (hereinafter referred to as "the Road Police"), in case of the route passing through the territory of the city of Yerevan — the mayor of Yerevan;
- (7) **protective transport vehicle** — a transport vehicle escorting heavy loads and/or loads with large dimensions;
- (8) **patrol transport vehicle** — an escort transport vehicle of the Road Police ensuring safe traffic on the route for transportation of a load;

- (9) **vehicle with large dimensions** — a vehicle, the dimensions of which (with load or without load) exceed any one of the standards referred to in point 2 of Annex No 2 to Decision No 1106-N of the Government of the Republic of Armenia of 20 July 2006;
- (10) **authorised body** — the marzpet of the marz concerned — for transportations performed in the administrative territory of a marz, the mayor of Yerevan — in the territory of the city of Yerevan, and the Ministry of Transport, Communication and Information Technologies of the Republic of Armenia — for transportations performed on interstate and republican roads through transit of more than one marzes, as well as the city of Yerevan;
- (11) **indivisible load** — a load transported on motor roads which is impossible to divide into two or more loads without causing damage thereto;
- (12) **permit** — a document reserving the right to transport a load by a transport vehicle with a total mass of 36-44 tonnes and/or with large dimensions on the state motor roads of common use of the Republic of Armenia;
- (13) **special permit** — a document reserving the right to transport an indivisible load by a heavy transport vehicle exceeding the total mass of 44 tonnes or 11.5 tonnes of load on one axle on the state motor roads of common use of the Republic of Armenia.
3. Where international treaties signed by the Republic of Armenia prescribe norms other than those prescribed by these Rules, the norms of the international treaties shall apply.

II. PROCEDURE FOR SUBMITTING APPLICATIONS FOR OBTAINING A PERMIT

4. For the purpose of obtaining a permit for transportations by heavy transport vehicles and/or transport vehicles with large dimensions, a freight transporter may choose from one of the following options:

- (1) fill out an application, pursuant to Form No 1, and submit it to the authorised body either personally or by electronic means, in which case all agreements on transportation of the load via the route concerned are performed by the authorised body; or
 - (2) fill out the application (Form No 1) and attach to the application the agreements of all organisations (bodies) having given consent to transportation of a load via the route concerned, except for the Road Police.
5. The application must indicate the type of the permit — one-time, multiple (for a certain period) or special.
 6. Freight transporters may obtain a permit for one-time transportation or transportation for a certain period, pursuant to Form No 2. A one-time permit shall be issued for one-time transportation in the specified period. A permit for a certain period shall be issued for a certain number of transportations for a period of 1-3 months or in the specified period (up to 3 months). A special permit for transportation of an indivisible load shall, pursuant to Form No 3, be issued for one-time transportation of an indivisible load by a transport vehicle.

III. PROCEDURE FOR CONSIDERING APPLICATIONS AND ISSUEING A PERMIT

7. Applications submitted for obtaining a permit for transportation of heavy loads and/or loads with large dimensions shall be registered by the responsible subdivision of the authorised body in the registration log of Form No 4. The responsible subdivision co-ordinating the process of issuing a permit shall be obliged to register the applications received, verify the integrity of the data presented in each application, as well as the technical compatibility of the towing vehicle and the trailer for the transportation concerned, according to the data referred to in the application.

8. For the purpose of ensuring safety for transportation by heavy transport vehicles and/or transport vehicles with large dimensions, when considering the route for transportation, the authorised body needs to take into account the load-carrying capacity and sizes of engineering structures on the route and the need for implementation of additional measures for ensuring traffic safety and maintaining the road and structures.
9. The application on issuing a permit for transportation by heavy transport vehicles and/or transport vehicles with large dimensions shall be considered:
 - (1) within 5 working days upon submission of the application, where the agreements are presented by the freight transporter;
 - (2) within 15 working days upon submission of the application, where all the agreements are made by the authorised body.
10. The permit referred to in point 9 of these Rules shall be issued when the applicant pays the road fee (and in case of a special permit — also the state duty).
11. Where it is impossible for the applicant to transport via the proposed route, the authorised body shall, within 3 working days, inform the applicant thereon, recommending another route (taking into account the recommendations of the organisations (bodies) giving consent to transportation). In case the applicant refuses to transport via another route, the issuing of a permit shall be rejected. The issuing of a permit shall also be rejected, where the grounds for rejection prescribed by point 13 of these Rules exist.
12. The damage incurred by the applicant as a result of failure by the authorised body to submit a written response regarding satisfaction or rejection of an application within the time limits prescribed by subpoints 1 and 2 of point 9 of these Rules shall be recovered through judicial procedure.
13. Issuing of a permit or a special permit shall be rejected, where:

- (1) the documents submitted by the transporter are incomplete, and the indicated shortcomings have not been eliminated within 3 working days;
 - (2) it is possible to divide the load that the applicant has presented as indivisible;
 - (3) the mass of the load being transported exceeds the load-carrying capacity established by the manufacturer for the transport vehicle concerned;
 - (4) the applicant transporting an indivisible load has not paid the state duty prescribed by the Law of the Republic of Armenia "On state duty";
 - (5) the applicant has not paid the road fee prescribed by the Law of the Republic of Armenia "On road fee" (except for other cases prescribed by laws of the Republic of Armenia);
 - (6) the technical condition of motor roads, artificial structures and communication pathways does not allow for such transportation.
14. A permit shall be prepared through printing, on a specially protected form, by the order of a body with the power to issue a permit.
 15. The authorised body shall co-ordinate the transportation of a load with the Road Police. As a result of this co-ordination, the applicant shall be issued a pass for transportation, pursuant to Form No 5. The terms for ensuring traffic safety during transportation of a load are determined during co-ordination.
 16. Forms of a pass shall be prepared through printing, with specific protection, by the order of the Road Police. The issued passes shall be registered in the log, the form and the procedure for filling out of which shall be established by the Head of the Police of the Republic of Armenia adjunct to the Government of the Republic of Armenia.
 17. The pass shall be affixed on the lower right corner of the front windscreen of the control cab of the transport vehicle.

18. The organisations (bodies) giving consent to transportation shall be obliged to give consent to transportation or reject it within 2 working days, presenting the grounds for rejection.

IV. ORGANISING TRAFFIC OF HEAVY TRANSPORT VEHICLES AND/OR TRANSPORT VEHICLES WITH LARGE DIMENSIONS

19. Transportation by heavy transport vehicles and/or transport vehicles with large dimensions through the territories of settlements shall be performed at hours of minimum intensity of traffic, whereas out of the settlements — at daytime. Transportation out of settlements at dark hours and at daytime, in conditions of great intensity, shall be permitted only in case of escort of a load.
20. During agreement on a permit for transportation of a load, the Road Police shall determine the need for and the type of escort. The escort may be carried out:
 - (1) through a protective transport vehicle and/or a towing vehicle;
 - (2) through a patrol transport vehicle of the Road Police.
21. The escort through a protective transport vehicle shall be mandatory, where:
 - (1) the width of the transport vehicle, along with the load, exceeds 3.5 metres;
 - (2) the length of the articulated vehicle exceeds 24 metres;
 - (3) in other cases when the line "Special Traffic Conditions" indicates that passing through an artificial structure is permitted through a single procedure (one by one), or indicates the terms required for operative changes in organising the traffic.
22. The escort through a patrol transport vehicle of the Road Police shall be necessary, where:
 - (1) the width of the transport vehicles exceeds 4 metres;

- (2) the length of the articulated vehicle exceeds 30 metres;
 - (3) the transport vehicle may partially occupy the opposite direction of the traffic lane in movement;
 - (4) operative change in organising the traffic is assumed during transportation;
 - (5) sections with high intensity of transportation flows exist on the route for transportation;
 - (6) the total mass of the transport vehicle exceeds 44 tonnes.
23. A protective transport vehicle must move ahead of a transport vehicle transporting a load, at a distance of 12-20 metres, slanted towards the left, in such a way that its dimensions close, in terms of width, the dimension of a transport vehicle being escorted.
24. The speed of the traffic shall be set by the Road Police. The speed of the traffic on roads must not exceed 60 km/h, and the speed of the traffic on bridges — 15 km/h. The permissible traffic regime in different sections of the route may vary.
25. The following shall be prohibited during transportation of heavy loads and/or loads with large dimensions:
- (1) deviate from the designated route;
 - (2) exceed the speed specified in the permit;
 - (3) drive on icy roads, as well as in conditions of visibility less than 100 metres;
 - (4) drive on the roadside (if that is not provided for by the terms of transportation);
 - (5) stop in non-designated sections of the road.
26. Where there is a need to change the route during the transportation, the freight transporter must be issued, within one working day, a permit for transportation via a new route.

**V. TECHNICAL EQUIPMENT OF TRANSPORT VEHICLES
AND ADDITIONAL REQUIREMENTS FOR A LOAD**

27. Trailers (semi-trailers) must be equipped with a parking brake preventing their separation from a transport vehicle, a service brake operating on all the wheels on a slant not less than 16 per cent and a gadget ensuring an automatic stop in case of break of wires connecting to a towing vehicle.
28. For the purpose of ensuring additional focus in case of a forced stop on a slant, it is necessary to have at least two anti-roll bars for each loop of an articulated vehicle.
29. Taking into account the dimensions of the load being transported and of the transport vehicle, the transport vehicle cab must be equipped with at least two rear-view mirrors on both sides, which must ensure a sufficient viewing field for the driver during both linear and curvilinear traffic.

**Minister-Chief of Staff
of the Government
of the Republic of Armenia**

M. Topuzyan

ԴԻՄՈՒՄ

APPLICATION

**ԾԱՆՐԱՔԱՇ ԵՎ (ԿԱՄ) ՄԵԾ ԵՋՐԱԶԱՓԵՐՈՎ ԲԵՌԻ ՓՈԽԱԴՐՄԱՆ
ԹՈՒՅԼՏՎՈՒԹՅՈՒՆ ՍՏԱՆԱԼՈՒ ՀԱՄԱՐ**

**FOR OBTAINING A PERMIT FOR TRANSPORTION OF HEAVY LOADS AND/OR LOADS
WITH LARGE DIMENSIONS**

Բեռնափոխադրողի անվանումը, հարկային մարմնում գրանցման համարը (ՀՎՀՀ) եւ
հեռախոսահամարը

Name, registration number in tax authority (TIN) and telephone of freight transporter

Երթեւեկության երթուղին (նշել փոխադրման սկզբնակետը, վերջնակետը եւ երթուղին)

Traffic route (specify the start point, end point and the route of transportation)

Անհրաժեշտ թույլտվության տեսակը՝

Type of permit required

մեկանգամյա՝

one-time:

որոշակի ժամկետով՝

for a certain period

_____ -ից մինչև _____

from _____ to _____

փոխադրումների թիվը

number of transportations

հատուկ

special _____

բեռի տեսակը _____ բեռի բնութագիրը (անվանումը, եզրաչափերը, զանգվածը)

type of load _____ load description (name, dimensions, mass)

Ավտոգնացքի ցուցանիշները՝ կազմը (տրանսպորտային միջոցի եւ կցորդի մակնիշը, մոդելը)

Articulated vehicle indicators — composition (make, model of transport vehicle and trailer)

սնիների միջեւ եղած հեռավորությունը՝

distance between the axles

1 ___ 2 ___ 3 ___ 4 ___ 5 ___ 6 ___ 7 ___ 8 ___ 9 ___ 10 ___ մետր,

1 ___ 2 ___ 3 ___ 4 ___ 5 ___ 6 ___ 7 ___ 8 ___ 9 ___ 10 ___ meters,

սնիների բեռնվածությունը՝

_ load of axles

_____ տոննա,

_____ tonne,

ընդհանուր զանգվածը _____ տոննա

total mass _____ tonne,

եզրաչափերը՝ երկարությունը՝ _____ մ, լայնությունը՝ _____ մ,

dimensions: length: _____ m, width: _____ m,

բարձրությունը՝ _____ մ, բեռով շրջադարձի շառավիղը՝ _____ մ:

height: _____ m, turning radius with load: _____ m:

Ավտոգնացքի շարժման սահմանվող արագությունը _____ կմ/ժամ:

determined movement speed of articulated vehicle _____ km/h

Ուղեկցման տեսակը (եթե առկա է) _____

Type of escort (if available)

_____ (պաշտոնը) (position)

_____ (անունը, ազգանունը) (name, surname)

_____ (ստորագրությունը) (signature)

_____ 20 _____

ԹՈՒՅՆՏՎՈՒԹՅՈՒՆ N

PERMIT No

**ՀԱՅԱՍՏԱՆԻ ՀԱՆՐԱՊԵՏՈՒԹՅԱՆ ԸՆԴՀԱՆՈՒՐ ՕԳՏԱԳՈՐԾՄԱՆ
ԱՎՏՈՄՈՒԲԻԼԱՅԻՆ ՃԱՆԱՊԱՐՀՆԵՐՈՎ ԾԱՆՐԱՔԱՇ
ԵՎ (ԿԱՄ) ՄԵԾ ԵԶՐԱԶԱՓԵՐՈՎ ԲԵՌԻ ՓՈԽԱԴՐՄԱՆ**

**FOR TRANSPORTATION OF HEAVY LOADS AND/OR LOADS
WITH LARGE DIMENSIONS BY MOTOR ROADS OF COMMON USE
OF THE REPUBLIC OF ARMENIA**

Փոխադրման

տեսակը

Type of
transportation

(միջպետական, միջմարզային, ներմարզային)

(interstate, intermarz, intramarz)

Թույլտվության

տեսակը

Type of permit

(մեկանգամյա, բազմակի (որոշակի ժամկետով))

(one-time, multiple, for a certain period)

Թույլատրված է կատարել _____ երթ _____ից մինչև _____ ժամանակահատվածում
Allowed to perform: journey from to period of time;

հետևյալ երթուղիով

by following route:

Տրանսպորտային միջոցի (քարշակի, կցորդի (կիսակցորդի) մակնիշը, տիպը

Make, type of transport vehicle (towing vehicle, trailer, semi-trailer)

Հաշվառման համարանիշները

Record-registration number plates

Բեռը փոխադրողի անվանումը, գտնվելու վայրը, հեռախոսահամարը

Name, location, telephone of freight transporter

Բեռի բնութագիրը (անվանումը, եզրաչափերը, զանգվածը)

Load description (name, dimensions, mass)

Տրանսպորտային միջոցի հարաչափերը՝

Transport vehicle parameters:

ընդհանուր զանգվածը՝ բեռով	_____ տոննա, tonne,	այդ թվում՝ քարշակի զանգվածը՝	_____ տոննա tonne,
total mass: with load		including towing vehicle mass,	

սռնիների միջեւ հեռավորությունը՝ 1__ 2 __ 3 __ 4 __ 5 __ 6 __ 7 __ 8 __ 9 __ 10 __
մետր

distance between the axles: metres

սռնիների բեռնվածությունը՝	_____	_____	_____	_____	_____	_____	տոննա,
	1	2	3	4	5	6	
load of axles:							tonne,

եզրաչափերը՝ երկարությունը՝ _____ մետր,	լայնությունը՝ _____ բարձրությունը՝ _____ մետր,				
Dimensions: length	m	width	m	height	m

Ուղեկցման տեսակը (ավտոմեքենայի մակնիշը, մոդելը, հաշվառման համարանիշը)

Type of escort (make, model, record-registration number plate of road vehicle)

Երթևեկության հատուկ պայմանները

Special traffic conditions

Թույլտվությունը տրված է

Permit is issued by

_____ (կազմակերպության անվանումը) (name of organisation)

Փոխադրումը համաձայնեցնող կազմակերպությունները (նշել այն կազմակերպությունները, որոնց հետ

_____ Organisations agreeing the transportation (specify the organisations with whom the

_____ (պաշտոնը) (position)

_____ (անունը, ազգանունը) (name, surname)

_____ (ստորագրությունը) (signature)

_____ 20_____

Կ. Տ.

Seal

համաձայնեցվել են փոխադրումը եւ երթեւեկության առաջարկվող ռեժիմը՝

transportation and proposed traffic regime have been coordinated).

1. _____

2. _____

3. _____

4. _____

բեռն ուղեկցող անձը (անձինք)

escort person(s)

(ստորագրությունը) (signature)

(անունը, ազգանունը) (name, surname)

(ստորագրությունը) (signature)

(անունը, ազգանունը) (name, surname)

1. Տրանսպորտային միջոցը զննել է բեռնափոխադրողի ներկայացուցիչը, որը հավաստում է դրա համապատասխանությունը Հայաստանի Հանրապետության ճանապարհային երթուղիների և Հայաստանի Հանրապետության ճանապարհներով ավտոտրանսպորտով ծանրաքաշ և (կամ) մեծ եզրաչափերով բեռների փոխադրման կանոններին:

A. The transport vehicle was inspected by the representative of the freight transporter, which certifies its compliance with the rules of the road traffic of the Republic of Armenia and of transportation of heavy loads and/or loads with large dimensions by road transport vehicles on the roads of the Republic of Armenia.

(պաշտոնը) (position)

(անունը, ազգանունը) (name, surname)

(ստորագրությունը) (signature)

_____ 20 _____

Կ. Տ.

Seal

Առանց ճանապարհային ոստիկանության կողմից տրված անցագրի և Ա կետը լրացնելու՝ թույլտվությունն ուժի մեջ չէ:

The permit is not valid without a pass issued by the Road Police and without filling out point A.

Ձեւ N 3

ՀԱՏՈՒԿ ԹՈՒՅԼՏՎՈՒԹՅՈՒՆ N

SPECIAL PERMIT No

**ՀԱՅԱՍՏԱՆԻ ՀԱՆՐԱՊԵՏՈՒԹՅԱՆ ԸՆԴՀԱՆՈՒՐ ՕԳՏԱԳՈՐԾՄԱՆ
ԱՎՏՈՄՈՒԲԻԼԱՅԻՆ ՃԱՆԱՊԱՐՀՆԵՐՈՎ ԾԱՆՐԱՔԱՇ
ԵՎ (ԿԱՄ) ՄԵԾ ԵԶՐԱԶԱՓԵՐՈՎ ԲԵՌԻ ՓՈԽԱԴՐՄԱՆ**

**FOR TRANSPORTION OF HEAVY LOADS AND/OR LOADS
WITH LARGE DIMENSIONS BY MOTOR ROADS OF COMMON USE
OF THE REPUBLIC OF ARMENIA**

Փոխադրման տեսակը

Type of transportation (միջպետական, միջմարզային, ներմարզային) (interstate, intermarz, intramarz)

Թույլտվության տեսակը

Type of permit (մեկանգամյա, բազմակի (որոշակի ժամկետով) (one-time, multiple, for a certain period)

Թույլատրված է կատարել _____ երթ _____ից մինչև _____ ժամանակահատվածում

Allowed to perform: journey from to period of time

հետեւյալ երթուղիով

by following route:

Տրանսպորտային միջոցի (քարշակի, կցորդի (կիսակցորդի) մակնիշը, տիպը

Make, type of transport vehicle (towing vehicle, trailer, semi-trailer)

Հաշվառման համարանիշները

Record-registration number plates

Բեռը փոխադրողի անվանումը, գտնվելու վայրը, հեռախոսահամարը

Name, location, telephone of freight transporter

Բեռի բնութագիրը (անվանումը, եզրաչափերը, զանգվածը)

Load description (name, dimensions, mass)

Տրանսպորտային միջոցի հարաչափերը՝

Ուղեկցման տեսակը (ավտոմեքենայի մակնիշը, մոդելը, հաշվառման համարանիշը)

Type of escort (make, model, record-registration number plate of road vehicle)

Երթևեկության հատուկ պայմանները

Special traffic conditions

Թույլտվությունը տրված է _____ կողմից:
Permit is issued by _____ (կազմակերպության անվանումը) (name of organisation)

Փոխադրումը համաձայնեցնող կազմակերպությունները (նշել այն կազմակերպությունները, որոնց հետ

Organisations agreeing the transportation (specify the organisations with whom the

(պաշտոնը) (position) (անունը, ազգանունը) (name, surname) (ստորագրությունը) (signature)

_____ 20____

Կ. Տ.

Seal

համաձայնեցվել են փոխադրումը եւ երթեւեկության առաջարկվող ռեժիմը՝

transportation and proposed traffic regime have been coordinated).

1. _____

2. _____

3. _____

4. _____

բեռն ուղեկցող անձը (անձինք)

escort person(s)

(ստորագրությունը) (signature)

(անունը, ազգանունը) (name, surname)

(ստորագրությունը) (signature)

(անունը, ազգանունը) (name, surname)

Ա. Տրանսպորտային միջոցը զննել է բեռնափոխադրողի ներկայացուցիչը, որը հավաստում է դրա համապատասխանությունը Հայաստանի Հանրապետության ճանապարհային երթեւեկության եւ Հայաստանի Հանրապետության ճանապարհներով ավտոտրանսպորտով ծանրաբաշ եւ (կամ) մեծ եզրաչափերով բեռների փոխադրման կանոններին:

A. The transport vehicle was inspected by the representative of the freight transporter, which certifies its compliance with the rules of the road traffic of the Republic of Armenia and of transportation of heavy loads and/or loads with large dimensions by road transport vehicle on the roads of the Republic of Armenia.

(պաշտոնը) (position)

(անունը, ազգանունը) (name, surname)

(ստորագրությունը) (signature)

_____ 20 _____

Կ. Տ.

Seal

Առանց ճանապարհային ոստիկանության կողմից տրված անցագրի եւ Ա կետը լրացնելու՝ թույլտվությունն ուժի մեջ չէ:

The permit is not valid without a pass issued by the Road Police and without filling out point A.

LOG

**FOR REGISTRATION OF PERMITS FOR TRANSPORTATION OF HEAVY LOADS
AND/OR LOADS WITH LARGE DIMENSIONS**

Number and type of permit	Name and address of organisation transporting load	Date of transportation	Route of transportation	Indicators of load	Number of receipt and paid amount
1	2	3	4	5	6

**ROAD POLICE OF THE POLICE OF THE REPUBLIC OF ARMENIA ADJUNCT TO
THE GOVERNMENT OF THE REPUBLIC OF ARMENIA**

PASS

SERIAL NUMBER.....00

N 0000

I quarter	II quarter	III quarter	IV quarter
-----------	------------	-------------	------------

Towing vehicle _____ Registration number plate _____
(make)

Registration number plate _____

Trailer _____
(make)

(reverse side of pass)

Traffic route

Freight transporter _____
(title or name, surname)

Hours of transportation _____

Maximum authorised traffic speed: _____ km/hr

over bridges and overpasses: _____ km/hr

Restrictions due to weather conditions _____

Escort _____

(without escort, protective transport vehicle)

(patrol transport vehicle of the Road Police)

Form of communication

Temporary or operative change of traffic

Road police officer agreeing the transportation

(position)

(telephone)

(signature)

(name, surname)

Seal

(Annex amended, edited, supplemented by No 702-N of 14 June 2007, supplemented, amended by No 769-N of 30 April 2009, edited by No 739-N of 23 June 2017)

Annex N 2
to Decision No 1106-N
of the Government
of the Republic of Armenia
of 20 July 2006

STANDARDS
ON HEAVY TRANSPORT VEHICLES OR TRANSPORT VEHICLES
WITH LARGE DIMENSIONS

(title amended by No 702-N of 14 June 2007)

1. Classification of heavy road transport vehicles (hereinafter referred to as "RTV")

Depending on the load of axles, RTVs are divided into 2 groups:

Group A: RTVs with a load of more than 10 tonnes of axles for traffic on I-IV class roads with a main type of road surface;

Group B: RTVs with load of more than 6 tonnes of axles for traffic on roads with light duty and transitional type of road surfaces.

1.1. Depending on the total mass (with load or without load), irrespective of the class of the road and the type of the road surface, heavy shall be deemed to be those RTVs, whose:

total mass exceeds 36 tonnes;

load of a driving axle with one axle: 10 tonnes;

load of a driving axle with two axles: 18 tonnes;

load of a driving axle with three axles: 22 tonnes.

Driving axles with two or three axles shall be deemed to be the driving axles, the distance between the neighbouring axles of which exceeds 2.5 metres.

1.2. The loads exceeding the indicators presented in Table N 1 shall be deemed to be heavy for the traffic over bridges (overpasses).

Table N 1

Date of construction of bridge (overpass)	Rated load	RTV indicators		
		Total mass: large (t)	Load of axle: large (t)	MV base: small (m)
After 1960	AK-11, H-30, H-18, HK-80	80	20	3.6
Before 1960	H-13, H-10, Ht-60	60	16	5

2. Articulated vehicles with two and more trailers shall be deemed to be articulated vehicles with large dimensions, irrespective of the length, as well as the transport vehicles, the sizes of which (with load or without load) exceed:

width: 2,55 m (for transport vehicles with isothermal or refrigerated body — 2,6 m);

length: 12 m;

height: 4,0 m from surface of carriageway;

length of articulated vehicle with one trailer (semi-trailer): 20 m;

if the load sticks out more than 2,0 m from the dimension of the back of the transport vehicle.

(Form amended by No 702-N of 14 June 2007)